



J

INDEX MAPS.

T. 3. N. R. 7 W. 2nd Mer.T. 4. N. R. 7 W. 2nd Mer.

The figures on the lines refer to the page.

449

Township N^o 3 North of Range N^o 7 West of the 2nd Mer. Ind.

Ch. Lk.

South Boundary

West On the South Boundary of Sec. 36. T. 3. N. R. 7 W.
 Cross land 2nd rate; Interval Timber Oak, Hickory, &
 Gum. Undergrowth Spice & Hazle.

8.00 Upland 2nd rate; Timber Oak, & Hickory little undergrowth.

30.06 To an Oak 9 in. diam. Stands in the line.

40.00 Set a 1/4 section post from which you

Oak. 15 in. diam. trend N 35 W 90 links east; &
 no other timber near.

49.00 To a Run. 3 links wide, Corner South.

73.00 " " Co. 5 " " " "

80.00 Set apart for the cor of Sec. 35 & 36 from which an
 Oak 14 in. diam. trend N 48 W. 16 links east; &
 Hickory 9 " " " N 46 E 6 " "

West On the South Boundary of Sec. 35. T. 3. N. R. 7 W.

9.00 To a Run. 8 links wide, Corner S. E.

27.27 " an Oak 15 in. diam. Stands in the line.

40.00 Set a 1/4 section post from which you

Oak. 24 in. diam. trend N 35 E 166 links east; &
 Hickory 13 " " " N 85 W. 53 " "

58.00 To a Run. 3 links wide, Corner S. W.

62.00 " " Co 3 " " " S. E.

66.38 To an Oak 16 in. diam. Stands in the line.

80.00 Set apart for the cor of Sec. 34 & 35 from which,
 Log wood 6 in. diam. trend N 35 E 41 links east; &
 Oak. 18 " " " N 42 W 92 " "

West On the South Boundary of Sec. 34. T. 3. N. R. 7 W.
 Grande & Timber from at last end.

13.00 To a Run. 3 links wide, Corner N. W.

19.50 To an Indian Trace from S. E. to N. W.

29.00 To a Run. 6 links wide, Corner S. W.

T. N. 3. N. R. N. 7 W. 2nd Mer. Ind:

- 37.50 To a Run. 8 miles wide, corner S.W.
 40.00 Set a post from which you
 Edge. 6 in. diam. beam. N 58 E. 19 miles wide; S
 Edge. 6 " " " N 76 W. 40 " "
 53.85 To an Elm. 12 in diam. stands in the river.
 68.50 To a Run. 4 miles wide, corner S.W.
 80.00 Set a post for the cor of sec. 33 & 34 from which
 Sugar. 18 in diam. beam. N 65 W. 28 miles wide; S
 Edge. 6 " " " N 59 E. 25 " "
 Last 7 miles R^{ate} water land; Timber Sugar, Beech,
 Oak & Elm. &c.

- Webb On the South Boundary of sec. 33. T. 3. N. R. 7 W.
 3.40 To a Run. 4 miles wide, corner S.E.
 31.50 " " No. 4 " " " S.W.
 40.00 Set a post from which you
 Oak. 18 in. diam. beam. N 71 W. 35 miles wide; S
 Box Elm. 10 " " " N 14 E. 54 " "
 49.50 To a Run. 6 miles wide, corner N.W.
 50.50 " " No. 10 " " " N.E.
 80.00 Set a post for the cor of sec. 32 & 33 from which
 Maple. 12 in. diam. beam. N 14 W. 18 miles wide; S
 No. 10 " " " N 50 E. 14 " "
 This mile north, 2nd rate bottom. Timber Elm, Oak,
 B. & W. Walnut, Maple &c. / Some upland R^{ate} water
 Sugar. Beech, Elm

- Webb On the South Boundary of sec. 32. T. 3. N. R. 7 W.
 Over 2nd rate bottom Timber Oak, Elm, Maple &c.
 12.00 To a Run 7 miles wide, corner North.
 40.00 Set a post no bearing
 40.40 To a Run. 8 miles wide, corner N.
 45.00 To R^{ate} water upland; Timber Sugar, Beech, B. & W.

D No 3. N.R. No 77. 2nd Mer. Ind.

451

Walnut, Elm, Gum, & W. Oak, many th Spruce & Grapenut

80.00 Set a post for the cor of sec. 31 & 32 from which
Gum 15 in. diam. bend. N55W33 links dist; 13
B. Walnut 18 " " " N43E. 62 " "

West On the South Boundary of sec. 31. T. 3. N.R. 77

40.00 Set a post from which
Logwood 6 in. diam. bend. N40W. 20 links dist; 13
Buck. 6 " " " N49E. 11 " "

54.00 To River bottom; Timber Elm, Maple & Ash.

80.95 Intersub the Range line at the post cor of sec. 31 & 32
N.R. No 78 W. Saturday June 18th 1805.

East Boundary

North On the East Boundary of sec. 36. T. 3. N.R. 77

17.50 To a Brook. 30 links dist, corner S.E.

18.50 " " Gum. " " " " S.W.

27.90 To an Oak. 8 in. diam. stands in the line.

32.50 To a Run. 6 links dist, corner S.E.

40.00 Set a post from which on

Oak. 20 in. diam. bend. S38E. 46 links dist; 13

Do. 16 " " " " N70W. 47 " "

52.56 To an Oak. 20 in. diam. stands in the line.

80.00 Set a post for the cor of sec 25 & 36 from which on

Oak. 16 in. diam. bend. N49W. 53 links dist; 13

Do. 18 " " " " S23W. 18 " "

Land on both ends 2nd gate, Timbered with
Oak Hick and Elm. many th Sassafras
& Hazel Brins Grapenut broad &c.

North On the East Boundary of sec. 25. T. 3. N.R. 77

10.50 To a Run 6 links dist, corner S.E.

T. 3. N. R. No 7 N. 2nd Mer. Ind.

- 12.54 To an Oak. 12 in. dia. Stand in the line.
 40.00 Set a post from which
 Maple. 12 in. dia. bend S 14 N. 14 links out; &
 Elm. 12 " " " N 72 W. 5 " "
 40.50 To a Run. 4 links out, corner S.E.
 69.00 " " No. 8 " " " S.E.
 74.00 " " No. 4 " " " S.E.
 80.00 Set a post for the corner. 24 & 25. from which
 Oak. 14 in. dia. bend N 72 W. 63 links out; &
 Poplar. 16 " " " S 80 W. 53 "
 This mile is not 2nd rate upland. Timber mainly
 Oak, Hickory, Maple.

- North On the East Boundary of T. 3. N. R. 7 N.
 Over 2nd rate land; Timber Oak, Hickory & Poplar
 0.40 To a Run. 3 links out, corner S.E.
 1.30 " " No. 4 " " " S.E.
 25.87 To a Poplar. 12 in. dia. Stand in the line
 39.00 To 2nd rate bottom land; Timber Elm, Hickory
 and Maple.
 40.00 Set a post from which
 Oak. 9 in. dia. bend N 83 W. 50 links out; &
 Mulberry 12 " " " S 33 W. 42 " "
 40.30 To a Run. 3 links out, corner N.W.
 41.50 " " No. 5 " " " S.E.
 46.00 " " No. 3 " " " S.E.
 53.00 To 2nd rate upland; Timber Ash, Elm,
 Poplar, Oak, Hickory
 63.30 To a Poplar. 15 in. dia. Stand in the line.
 80.00 Set a post for the corner. 13 & 24 from which
 Map. 9 in. dia. bend N 19 W. 32 links out; &
 No. 12 " " " S 26 W. 49 " "

P. No 3. M.R. No of Mr. Gas Meter. Ind.

North On the East Boundary of Sw. 13 T. 3. N. R. 7 W.
Cor. P. rate land; Timber same as last mile.

12.00 To a Run 4 links N.W., Course N.W.

26.00 " " Brook B. " " N. W.

2990 To West. 21 in diam. stands in the line.

40.00 Set a 7th La Post from which a n

Oak. 21 in dia. bms. 325 W. 41 barks oak; 8 1/2

Loc. 22 " " " N 81 1/2 W 36 " "

47.00 To Run. 8 miles, Come J. E.

\$0.00 Get a post for the corog set 12 & 13. from which,
 11 Ck. 18 in. clear beam. 11 19 W. 40 links each; 83
 11 12 " " " 11 25 W. 34 " "

Fast & with mostly land not land; Insects Ash,
 Elm & Maple.

North On the East Boundary of Sec. 17 T. 3 N. R. 7 W.

40.00 Get a 7th sup from which,

W. Ash. 18 in. diam. trunk. G34 W. 42 links each; 89

Gum. 8 " " " " No/W. 15 " "

80.00 Set a post for the cor of car 1412 from which s.m.

Elon. 13 in. diam. trunk. \$257.16 timber value; 85

Jan 8 " " " N 31 W 20 " "

Sandhorst and mch; Timber Maple, Ash, Elm,
Hickory, Undergrowth Spicewood.

North Outer East Boundary off l.w. 1. 1/3 A.R. 7 W.

Scrub & Timber same as last mile.

20.00 To a Swamp Timber Ash, Elm, Maple, &c. Undergrowth
Willows & Rose bushes, ground deep with water.

40.00 Set a $\frac{1}{4}$ caper from which,

Maß 10 in. durr bund. N66 W 34 bruch nach; 4₃

ack 10 4 4 7 557.33 4

80.00 Set apart for the cor of Latrod. 3rd. N. R. 6 & 7 W.

D. N. 3 N.R. N. 4 W. 2nd Mer. Ind.

from which, Willow 14 in. dia. beam. S38 W 30 the dish
under Oak, 6 " " " N38 E. 26 " "
Friday Nov. 1st 1805.

North Boundary

- West On the South Boundary of sec. 36. T. 4. N.R. 7 W
Through Swamp overgrown with water; Timber Oak,
Elm, Maple, Willow &c.
- 40.00 Set a post from which on
Oak 13 in. dia. beam. S54 W. 06 links out; & S
Maple 12 " " " N43 E. 46 " "
- 50.00 2nd rate intermediate Timber Oak, Elm, Maple
Sum. &c.
- 61.50 To a Run 8 links out, Course E.
- 64.80 " " 10.8 " " " S E.
- 70.00 2nd rate upland. Timber Oak, Hickory, Gum, Maple
- 80.00 Set a post for the cor. of sec. 35 & 36 from which,
Sum. 12 in. dia. beam. N50 W. 30 links out; & S
Maple 14 " " " S46 E. 13 " "

- West On the South Boundary of sec. 35 T. 4. N.R. 7 W
Over 2nd rate upland Timber Oak, Hickory, Maple, Sum.
- 25.00 To Barrens. Sum Oak, & Hickory.
- 40.00 Set a post no bearing
- 49.92 To an Oak. 12 in. dia. stands on the line.
- 74.00 To a Run 10 links out, Course S. E.
- 80.00 Set a post for the cor. of sec. 34 & 35. No bearing true.

- West On the South Boundary of sec. 34 T. 4. N.R. 7 W.
Land barrens sum as last mile.
- 40.00 Set a post from which,
Oak 14 in. dia. beam. N21 E. 103 links out; & S
10.8 " " " S25 W 94 " "

65.18	To an Oak, 6 in. diam. It stands in the woods.
80.00	Set a post for the corner 33 & 34 No bearing shown
West.	On the South Boundary of sec. 33. T. 4. N.R. 7 W.
10.11	To an Oak, 7 in. diam. It stands in the woods.
40.00	Set a $\frac{1}{4}$ section post from which, Hickory 7 in. diam. bears N 44 E. 51 links dist; & 5 Oak, 6 in. " " N 77 W 31 " "
80.00	Set a post for the corner 32 & 33. No bearing. This mile is barren. Some small Oak & Hickory.
West	On the South Boundary of sec. 32. T. 4. N.R. 7 W.
	This mile very barren. Some Oak, Hickory, & 1/2 Ash. Pine, Maple, & Grapevines.
40.00	Set a $\frac{1}{4}$ section post from which, Oak 7 in. diam. bears N 49 E. 17 links dist; & 5 Maple. 20 " " " S 18 E. 29 "
60.00	Land some what better. Timber Oak, Elm, Maple, &
80.00	Set a post for the corner 31 & 32 from which, Oak 10 in. diam. bears N 51 W. 18 links dist; & 5 Maple. 20 " " " S 18 E. 29 " "
West	On the South Boundary of sec. 31. T. 4. N.R. 7 W.
	Land some what better. Timber Oak, Elm, Maple,
8.00	Open prairie. Land poor much Grass.
22.00	Land 2 nd rate upland; Timber Oak, Elm, Maple, & 1/2 Walnut.
40.00	Set a $\frac{1}{4}$ section post; No bearing
50.00	2 nd rate bottom land Timber Elm, Maple, ash & 1/2
76.78	Set out the West Range at a post corner of Secs. 3 & 4 Ranged 748 W. July 5 th 1805.

T. N. 3 N.R. N.º 1/4 W 2nd Mer. Ind.º

Surveyed by Stephen Benton D.S.

(West Boundary)

North On the East Boundary of Sec. 26. T. 3. N.R. 8. W.
White River; line cut the Bank on opposite side, & ab

40.00 Dr. a post fell in W. River.

70.00 Come onto East side of River.

→ 80.00 Set a post for the cor of sec. 25 & 26 from which on
Elm. 24 in. diam. bears N 12 W. 19 links each; & 5
R. Oak. 12 " " " S 76 W. 73 " "
Lands bottom. Timber Oak & Sugar,

North On the East Boundary of Sec. 25. T. 3. N.R. 8. W.

25.00 To a Crak. 150 links into, corner W.

40.00 Set a 7th a post from which on

R Oak. 14 in. diam. bears N 66 W. 10 links each; & 5

W. Oak. 10 " " " S 39 W. 18 " "

80.00 Set a post for the cor of sec. 24 & 25 from which on

W Oak. 24 in. diam. bears North 65 links each; R & 5

Hackberry 12 " " " N 13 W. 50 " "

Lands brushy bottom. Timber Oak Sugar. & Elm.

North On the East Boundary of Sec. 24. T. 3. N.R. 8. W.

7.00 To a Crak. 150 links into, bears S 69 W

22.17 To a Pond. 477 links into, Offset 40 ch East.

40.00 Set a 7th a post from which on

Sugar. 20 in. diam. bears N 41 W. 43 links each; & 5

Hackberry 10 " " " S 37 W. 56 " "

49.40 To an Elm. 24 in. diam; stands in the line.

80.00 Set a post for the cor of Sec. 13 & 24 from which on

Hackberry 10 in. diam. bears S 60 W. 35 links each; & 5

Elm. 8 " " " N 13 W. 12 " "

Lands brushy bottom; Timber Elm, Sugar & Ash &.

North On the East Boundary of sec. 13. T. 3 N. R. 8 W.
 13.74 To a short Gum. 24 in. dia. Stands in the line.
 40.00 Set a 7/4 post from which,
 Hackberry 14 in. dia. bend. N 18 W. 18 links dist; 8,
 Spruce Oak. 24 " " " N 4 E. 10 " "
 45.73 To an Elm, 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. of sec. 12 & 13. from which,
 Maple. 12 in. dia. bend. N 66 W. 29 links dist; 15,
 Ash. 14 " " " N 4 W. 42 " "
 Go to 2nd rate bottom; Timber Oak Ash, & Maple.

North On the East Boundary of sec. 12 T. 3. N. R. 8 W.
 15.00 To a Pond 10 ch. wide, corner N 25 W. off sec. 30
 chains East
 40.00 Set a 7/4 post from which,
 Hackberry 14 in. dia. bend. S 63 W. 13 links dist; 8,
 Ho. 12 " " " N 10 E. 21 " "
 53.58 To a W Oak 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. to sec. 1 & 10 from which,
 Gum. 10 in. dia. bend. S 87 W. 17 links dist; 8,
 B. Walnut 14 " " " S 26 W. 78 " "
 Flat thin land; Timber Gum, Hickory, & Oak.

North On the East Boundary of sec. 1. T. 3. N. R. 8 W.
 32.88 To a W Oak 20 in. dia. Stands in the line.
 40.00 Set a 7/4 post from which,
 Red Oak. 20 in. dia. bend. S 73 W. 17 links dist; 8,
 Gum. 12 " " " S 43 W. 16 " "
 42.00 West end of a Pond coming out of sec. 1. 2 chains.
 58.00 To a Hickory 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. of Towns. 3 & 4. N. R. 7 & 8 W. from
 which, W Oak. 14 in. dia. bend. N 49 E. 47 links dist; 8,
 Sugar. 10 " " " N 45 W. 14 " "

T. W. B. N. R. N. of W. 2nd (Mn. Ind.)

Land East of flat land; Timber Oak. Sugar Maple

Subdivisions	
North	Between Sec. 25 & 36
15.00	To a Run. 4 links mid, Corner S.E.
26.00	" " No. 4 " " " "
29.41	To an Oak. 15 in. diam. Stands in the line.
40.00	Set a 7 th post from which, Run. 7 in. diam. head N 33 W. 28 links end; & 5 W Oak. 9 " " " S 33 E 57 "
	This half mile poor land; heavily timbered with Oak, Hickory, & Gum.
47.00	To a Brook. 15 links mid, Corner S.E.
55.77	To an Oak. 20 in. diam. Stands in the line.
80.00	Set a post for the corner. 25, 26, 35 & 36 from which, Oak. 15 in. diam. head. N 75 W. 29 links end; & 50 Post. 10 " " " No. E 43 "
	Set 7 th mile mostly 2 nd rate upland. Timber Poplar, Oak & Hickory ash &c.

East	Between Sec. 25 & 36 T. 3 N. R. 7 W
6.25	To a Brook. 12 links mid, Corner S.E.
14.59	" " Oak. 25 in. diam. in the line.
22.00	To a Brook. 12 links mid, Corner N.E.
29.00	" " Run. 3 " " " "
37.60	" " Do. 3 " " " "
39.95	Set a 7 th post at an. end; from which, Oak. 16 in. diam. head. S 20 W. 81 links end; & 5 Poplar. 8 " " " S 49 W 35 "
79.90	Intersect the East Main road at the post cor of sec. 25 & 36. This mile 2 nd rate upland. Timber Oak & Hickory

North	Between Sec. 25 & 36 T. 3 N. R. 7 W
10.50	To a Run. 12 links mid, Corner S.E.

22.00 To a Run. 4 links mid, corner S.W.
 27.49 To an Oak. 21 in. dia. stands in the line.
 39.00 " " Run. 4 links mid, corner S.W.
 40.00 Set a post from which
 Walnut 20 in. dia. bend. S 18 E. 30 links out; 1/2 in
 Oak. 16 " " " N 26 W. 16 " "
 58.60 To an Oak. 19 in. dia. stands in the line
 67.00 " a Run. 4 links mid, corner S.W.
 80.00 Set a post for the cor. of sec. 23. 24. 25 & 26. from which an
 Oak. 10 in. dia. bend. S 37 W. 18 links out; 1/2 in
 Do. 16 " " " N 37 E. 41 " "
 This mile is 2nd rate; Timber Oak & Hick

East
 40.00 Set a post at cor. with from which
 Sugar 18 in. dia. bend. S 62 E. 49 links out; 1/2 in
 Do. 8 " " " N 64 W. 24 " "
 41.00 To a Run. 4 links mid, corner N.E.
 44.00 " " Do. 4 " " " N.E.
 62.58 " " Do. 4 " " " S.E.
 80.00 Intersect the East Boundary at the post cor. of sec. 24 & 25.
 This mile is uneven 1st rate replant: Timber Oak,
 Hawth, Wash, Poplar, Gum, 1/2 in

North
 6.00 To a Run. 3 links mid, corner S.W.
 24.97 To an Oak. 21 in. dia. stands in the line
 40.00 Set a post from which
 Oak. 24 in. dia. bend. S 20 E. 30 links out; 1/2 in
 Elm. 8 " " " N 50 E. 26 " "
 57.50 To a Run. 5 links mid, corner N.E.
 58.66 " " Oak. 18 in. dia. stands at the line
 80.00 Set a post for the cor. of sec. 13, 14, 23, & 24 from which

D No. 3 N R. N. of W.

Ash. 8 in. diam. beam. N 12° W 24 links out; 15
 Sugar. 12, " " S 17° E 48 " "
 Oak and timber same as last run.

East Return Lev. 13 & 24. I 3 N R. 7 W.
 0.04 To a Run. 5 links out, Course N.E.
 13.50 " " No. 3 " " " N.E.
 24.00 " " No. 6 " " " N.E.
 40.30 Set a 1/4 sap for from which, (at an. dist.)
 Sugar. 6 in. diam. beam. N 52° W 18 links out; 8
 No. 10 " " " S 53° W 27 " "
 65.50 To a Run. 18 links out, Course N.E.
 80.60 Interior of East Boundary at the foot of lev. 13 & 24.

North Return Lev. 13 & 14. I 3 N R. 7 W.
 0.15 To a Run. 4 links out, Course N.W.
 1.20 " " No. 4 " " " N.W.
 21.63 To an Elm. 20 in. diam. stands in the line.
 40.00 Set a 1/4 sap for from which,
 Sugar. 12 in. diam. beam. N 50° W 33 links out; 12
 Ash. 20 " " " S 46° E 15 " "
 40.50 To a Run. 3 links out, Course E.
 59.00 " " No. 3 " " " N.W.
 66.00 " " No. 4 " " " E.
 68.64 To a W. Oak. 20 in. diam. stands in the line.
 90.00 Set a post for the corner of lev. 11, 12, 13 & 14 from which,
 W. Oak. 9 in. diam. beam. N 20° W 17 links out; 15
 No. 24 " " " S 27° E 30 " "
 On the opposite side of the creek, I found Sugar, Poplar, B. W. Oak,
 nut, Ash. & Elm.

East Return Lev. 12 & 13. I 3 N R. 7 W.
 13.93 To a B. Walnut 33 in. diam. stands in the line.
 36.00 To a Run. 10 links out, Course N.E.

T. N. 3. N.R. N. 7 W. 2nd Mer. Sud.

- 40.30 Set up lamp at av. dish from which,
 To place 10 in. diam. N 67 W. 20 links out; to
 Ash. 10 " " " N 42 E. 16 " "
 80.60 Enter out East Range line at the post on off w. 12 & 13.
 This mile Rth rate intervals limits Ash, Elm, Sugar,
 To place, To Walnut &

- Anth Return Sat 11. 1772 J. 3. N.R. 7 W
 25.99 To Oak 20 in diam. stands in the line.
 40.00 Set up lamp from which,
 Ash. 8 in. diam. bend. N 25 W. 23 links out; to
 Oak 10 " " " " N 6 E. 14 " "
 80.00 Set up for the corner 1. 2, 11. 1772 from which,
 Maple. 12 in diam. bend. N 60 W. 41 links out; to
 Log. 14 " " " " N 55 E. 47 " "
 This mile is Rth rate off line; limits N 37 W Walnut
 to undergrowth. Spruce, Sassafras, Many oaks.

- Cash Return Sat 1772 J. 3. N.R. 7 W.
 Leave Rth rate intervals limits Ash, Elm, & Maple.
 7.00 To Swamp floor. limits Ash, Elm, & Maple.
 16.00 To Rth rate intervals limits Ash, Elm, Maple &
 39.50 To Swamp.
 40.50 Set up lamp at av. dish from which,
 W. Ash. 20 in diam. bend. N 71 W. 21 links out; to
 Elm, 8 " " " " N 36 E. 2 " "
 46.00 To Interval as before
 60.00 to Swamp floor with water.
 72.00 To interval Rth rate; Ash, Elm &
 80.00 Enter the East Range line at a post corner of w.
 1772

Anth Return Sat 1772 J. 3. N.R. 7 W

T. N. 3. N.R. N. 7 W. 2nd Mer. Ind.

Land 2nd rate interval Tinto W Oak, Elm, Maple
rather less and wet.

- 20.63 To an Elm 10 in. diam. Stands in the line.
35.00 To a stump flanked with water. Tinto Tuna
38.00 " " Brook, 150 links wide, corner of W.
40.00 Set a 7/4 post from which
Miller 9 in. diam. trees. S45 E. 36 links east; 15
no more trees.
43.00 To 2nd rate interval Tinto Elm, & Maple, Oak &
55.29 To an Oak 10 in. diam. Stands in the line.
79.37 Intersect the N. Boundary at a post cor of sec. 35 & 36. 14.
N.R. & W.

- Post Return Sec. 34 & 35. T. 3. N.R. & W.
40.00 Set a 7/4 post from which
Oak 10 in. diam. trees. N27 E. 50 links east; 15
Sugar 9 " " S40 W. 41 " "
70.00 To a Run. 5 links wide, corner N.W.
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which
Oak, 10 in. diam. trees. N48 E. 17 links east; 15
Yew, 8 " " S48 W. 23 " "
Cross uplands 2nd rate; Tinto Oak, Ash, & Poplar,
Sugar, Gum &.

- Cash Return Sec. 26 & 35. T. 3. N.R. & W.
Cor 2nd rate uplands Tinto Oak, Ash, Poplar, Hickory.
27.63 To an Oak 15 in. diam. Stands in the line.
40.00 Set a 7/4 post at ar. east from which
Poplar 20 in. diam. trees. S35 W. 19 links east; 15
Oak 30 " " N44 E. 22 " "
60.94 To an Oak 18 in. diam.
71.50 To a Run. 6 links wide, corner S.E.
76.00 " " S. 6 " " N.E.
80.00 Intersect the N.E. line at the first cor of sec. 25, 26, 35 & 36

I No 3 N.R. No 7 N. 2nd (Mr. Sud:

Arth Return Dec 26 & 27. J. 3. N.R. 7 N.
 1.00 To N.R. 6 links mtd, comes E.N.
 40.00 Set a 1/4 report from which, an
 Echr. 8 in. air. bund. N 26 W. 29 links dist; 1/2
 Sugar. 16 " " S 27 E. 26 " "
 65.30 To N.R. 12 in. air. Strands in the river.
 80.00 Set a post for the cor of sec. 22, 23, 26, & 27 from which,
 Poplar. 18 in. air. bund. S 8 W. 26 links dist; 1/2
 Gum. 10 " " " N 58 E. 27, "
 Lumber. R. rate; upland; Lumber Echr, Sugar, Poplar,

Each Return Dec 23 & 26. J. 3. N.R. 7 N.
 40.15 Set the 1/4 report at an. dist from which,
 Echr. 9 in. air. bund. N 32 W. 33 links dist; 1/2
 Ld. 8 " " " S 33 E. 32 " "
 41.00 To N.R. 10 links mtd, comes E.N.
 71.00 " " Ld. 6 " " " S W.
 80.10 Set out the N + 3 line at the post cor of sec. 23, 24, 25 & 26
 This mile is first rate upland. Lumber ash, Sugar,
 Gum. Poplar, S. Oak.

Arth Return Dec 22 & 23. J. 3. N.R. 7 N.
 11.00 To N.R. 8 links mtd, comes E.N.
 15.50 To N.R. 4 links mtd, comes E.N.
 40.00 Set a 1/4 report from which an.
 Echr. 12 in. air. bund. S 84 W. 28 links dist; 1/2
 Ld. 10 " " " N 75 E. 15 " "
 49.00 To N.R. 6 links mtd, comes N.N.
 62.00 " " Ld. 4 " " " S W.
 63.18 To N.R. 24 in. air. Strands in the river.
 80.00 Set a post for the cor of sec. 14, 15, 22, & 23 from which,
 Walnut. 27 in. air. bund. N 35 E. 36 links dist; 1/2
 Sugar. 8 " " " S 61 W. 32 " "

T. N. 3 N.R. N. 7 W. 2nd Mer. Ind.

Land on this mile upland; Timber Sugar, Ash, Elm,
Poplar, Hickory; underneath Sassafras, Maple, &c.

Each Return Sur. 14 & 23. T. 3 N.R. 7 W.
38.00 To a Run 6 links wide, Course N
40.00 Set a 7th apart from which (at an arch)
W. Walnut. 16 in. dia. beam. N 50 W 31 links arch; &
Oak. 10 " " " S 48 E. 22 " "
80.00 Intersect the N 3 line at the foot cor of Sur. 13, 14, 23 & 24.
Land on this mile R. rate upland. Timber Sugar,
Walnut, Poplar, W Oak, &c.

North Return Sur. 14 & 15 T. 3 N.R. 7 W.
Cross R. rate upland. Timber Sugar, Poplar, & Ash,
W Walnut, Gum, & Honey Locust
35.00 To R. rate interior. Timber Spruce.
40.00 Set a 7th apart from which an
Ash. 27 in. dia. beam. S 40 W. 24 links arch; & 5
Sugar. 6 " " " N 34 E. 05 " "
80.00 Set a post for the cor of Sur. 10, 11, 14, & 15 from which,
Hickory 7 in. dia. beam. S 56 E. 37 links arch; & 9
Maple. 16 " " " N 18 W. 23 " "

Each Return Sur. 11 & 14 T. 3 N.R. 7 W.
9.50 To a Run 12 links wide, Course N.W.
40.28 Set a 7th apart at an arch from which,
Sugar. 20 in. dia. beam. S 61 E. 6 links arch; & 5
Do. 9 " " " N 44 W. 53 " "
50.50 To a Run 4 links wide, Course N.E.
65.60 To a Sugar. 30 in. dia. at an arch in the run.
80.56 Intersect the N 3 line at the foot cor of Sur. 11, 12, 13 & 14
This mile is R. rate upland; Sugar W, Ash, W & W
Walnut & Poplar, White Pine, & Sassafras many vines

T. N. 3 N.R. N. of W. Quad Mer. Ind.

North Return Dec. 10 & 11 T. 3 N.R. of W.
 7.00 To at Brook 10 links mid., Corner N.W.
 34.25 To a Elm. 20 in. diam. Stands in the line.
 40.00 Set a 7/4 sap post from which
 Hickory 7 in. diam. trunk 556 E. 37 links mid.; 43
 Maple. 16 " " " 1877.23 " "
 63.60 To a Elm. 4 links mid., Corner S.W.
 80.00 Set a post for the corner. 2, 3, 10 & 11 from which,
 Poplar. 20 in. diam. trunk. N 59 W. 44 links mid.; 43
 Walnut. 16 " " " 949 E. 6 " "
 This mile is mostly 1st rate upland. Timber Poplar,
 Gum, Oak, Elm; some 2nd rate Intersect Timber
 Oak, Elm, Gum, Maple, &c.

East Return Dec. 2 & 11. T. 3 N.R. of W.
 Over 2nd rate upland. Timber Oak, Hickory, Poplar,
 &c.
 40.00 Set the 7/4 sap post at av. dist from which,
 Elm. 9 in. diam. trunk N 60 W. 13 links mid.; 43
 10.6 " " " 936 E. 28 " "
 41.00 To a Elm. 10 links mid., Corner S.E.
 72.00 Second 1st rate intersect Timber Oak, Elm, Maple, &c.
 80.00 Intersect the N & S line at the first cr. of cut 1, 2, 11 & 12.

North Return Dec. 2 & 3. T. 3 N.R. of W.
 Over 1st rate upland; Timber Oak, Hickory, Oak,
 Poplar, Gum, &c.
 9.50 To a Brook. 300 links mid., Corner S.W.
 23.90 To a W. Oak 18 in. diam. Stands in the line.
 27.00 To a Elm. 6 links mid., Corner S.E.
 37.00 " " 16.6 " " " 977
 37.50 To a Barren Some Oak, &c.
 44.00 Set a 7/4 sap post from which

D. N. 3. MR. A. W. W. 2nd Men Ind.

Oak. 6 in. diam. trees. N51W. 46 ticks with 75
 Do. 10 " " " N63E. 55 " "
 49. 70 Intersub to N Boundary at the foot on few 34. 135.
 T. N. 4. N. R. T. W.

North Return Jul. 33 & 34. T. 3 N. R. 7 W.
 10.00 To a Run. 3 links mid, Come N.E.
 18.28 To a Poplar, 48 in. diam. Stands in the line.
 35.00 To a Spring.
 36.30 To a Run. 3 links mid, Come N.W.
 40.00 Set a pole apart from which you
 Elev. 18 in. diam. Run. S 19 N. 17 links mid; 1/2
 Red Bud. 6 in " " N 15 E 43 " "
 59.19 To a Hickory 8 in diam. Stands in the line.
 59.90 To a Birch, 40 links mid, Come W.
 72.50 " " Elev. 20 " " " S.W.
 76.00 " " Elev. 20 " " " S.W.
 80.00 Set a post for the corner. 27. 28. 33 & 34 from which,
 Run. 20 in. diam. Run. S 70 N. 27 links mid; 1/2
 Elev. 10 " " " N 45 E 34 " "
 This mile is mostly set (note) land. Trees 4 Birch, Sugar,
 Poplar, Gum.

East	Return Sep. 27 1834.	J. 3. N. R. 1 M.
6.00	Loat Brook. 15 links mid,	Comer J. W.
11.00	" " Same. " " "	" W. W.
32.00	Loat Brook. 15 links mid,	Comer. N. W.
40.00	Set a $\frac{1}{4}$ ca. feet at av. dist from mbank o	
	Oak, Fin. dew. burs. N 65 W. 34 links mid; 15	
	Regard Co. " " " 35 E. 10 " "	
49.00	Loat Brook. 15 links mid,	Comer N. W.
77.00	" " Run. 6 " "	" J. W.
78.50	" " Do. 3 " "	" W. W.

T. N. 3. N.R. N. of W. 2nd Mer. Sec.

79.90. Intersect the N43 line at a post cor of sec. 26, 27, 34 & 35.
This mile is mostly R.¹ rate land. Timber Oak, Hickory, Ash,
Elm, Sugar, Poplar, mangrove Spruce.

North Between Sec. 27 & 28. T. 3. N.R. 7 W.

31.87 Set a 10" oak post 15 in. diam. stands in the line.

40.00 Set a 10" oak post from which

Logwood 6 in. diam. bears S83 E. 25 links north; &

Oak. 25 " " " N12 W 39 " "

68.88 Set a Gum, 10 in. diam. stands in the line.

80.00 Set a post for the cor of sec. 21, 22, 27 & 28 from which,
Gum. 12 in. diam. bears S47 E. 45 links north; &

Gum. 10 " " " N23 W. 20 " "

This mile is 2nd rate upland. Timber Oak, Hickory &
Poplar, Gum.

East Between Sec. 22 & 27. T. 3. N.R. 7 W.

39.96 Set a 10" oak post at av. dist. from which,

Gum. 8 in. diam. bears N53 E. 47 links north; &

Poplar. 12 " " " S83 W 29 " "

42.00 Set a Gum, 3 links wide, corner of W.

61.53 " " " 20 in. diam. in the line.

62.00 " " " 10 " " " " " " " " " " " "

79.92 Intersect the N43 line at the post cor of sec. 22, 23, 26 & 27.
This mile is 2nd rate upland, Timber Oak, Hickory, Ash,
Gum. & Poplar.

North Between Sec. 21 & 22. T. 3. N.R. 7 W.

40.00 Set a 10" oak post from which,

Oak. 21 in. diam. bears N41 E. 33 links north; &

Gum. 19 " " " " S21 W. 55 " "

80.00 Set a post for the cor of sec. 15, 16, 21 & 22 from which,

Oak. 24 in. diam. bears S45 W. 46 links north; &

Do. 22 " " " " N42 E. 77 " "

T. No 3 M.R. No of M. 2nd (Mun. Ind.)

This mile is 2nd rate upland. Timber Oak, Hickory & Gum. Undergrowth Sassafras, Maple, Birch & Spruce.

Each Return Sat. 15 & 22 J. 3 M.R. 7 M.
 29.50 To open 8 links wide, Comm. M.R.
 40.00 Set a 74 ca post at an inch from which
 Poplar 18 in. diam. found N 77 W. 21 links wide; &
 No. 20 " " S 36 E. 33 " "
 49.50 To open 4 links wide, Comm. M.R.
 80.00 Set out the M & S line at the foot of of cor. 14-15, 22 & 23.
 Under last 7/8 mile had 1st rate land, Timber Oak,
 1/3 Walnut, Poplar &c.

North Return Sat. 15 & 22 J. 3 M.R. 7 M.
 Cor had 2nd rate; Timber Oak, Hickory, Gum, Sassafras &c.
 17.00 To open prairie; much Grass,
 33.00 To open. Timber Oak, Maple, & Ash,
 40.00 Set a 74 ca post from which
 Oak 10 in. diam. found N 44 E. 22 links wide; &
 No. 64 " " N 48 W. 28 " "
 45.00 Leave the Swamp. Commenced 2nd rate upland.
 Timber Oak, Hickory,
 64.68 To Hickory 10 in. diam. Stems in the line.
 70.00 To open prairie; thickly thickened with Oak, & Hickory
 Sassafras.
 80.00 Set a post for the corner 9-10, 15, & 16 from which
 Oak 10 in. diam. found N 20 W. 32 links wide; &
 Oak 12 " " " S 4 E. 37 " "

Each Return Sat. 10 & 15 J. 3 M.R. 7 M.
 Cor from land, Timber Oak & Hickory
 16.00 To open prairie

469

T. No 3 N.R. No 7 N. 2nd Mar. Ind.

23.00 Leave the prairie; Lands as before
 29.00 To arrange timber Oak, Elm & Maple.
 37.00 To 2nd rate upland; Timber Oak, Hickory & Gum, &c.
 40.00 Set the 1st report at a dish from which
 Gum 9 in. diam. trees. N 67 W 29 links each; &c.
 Oak 6 " " " " 869 E 9 " "
 80.00 Intersect the N 45 line at the post or off cor. 10. 11. 145
 15 T. 3 N.R. 7 N.

North Between Sur. 9 & 10 T. 3 N.R. 7 N.
 28.23 To go Oak. 25 in. diam. in the line.
 40.00 Set a 1st report from which
 Oak. 10 in. diam. trees. N 61 E 96 links each; &c.
 Elm. 12 " " " " N 24 W 81 " "
 45.00 To a Brook 3 links wide. Corner. N 4 W
 50.50 " " Brook. 60 links wide, Corner N 60 W.
 77.30 To Indian Improvement.
 80.00 Set a post for the cross Sur. 3 & 4, 9 & 10 from which
 Oak. 10 in. diam. trees. N 15 E 87 links each; &c.
 Log 10 " " " " N 68 W 111 " "
 This mile is poor prairie thinly timbered with Oak
 Hickory and Elm.

East Between Sur. 3 & 4 T. 3 N.R. No 7 N.
 Over barrens thinly timbered with Oak & Hickory
 40.00 Set a 1st report at a dish; no bearing trees
 48.00 Lands 2nd rate bottom; Timber Oak Elm & Hickory
 64.50 To a Brook. 80 links wide, Corner. S 40 W
 69.00 2nd rate upland. Timber Oak, Hickory, Poplar & Gum.
 80.00 Intersect the N 45 line at the post or off cor.
 2, 3, 10 & 11

North Between Sur. 3 & 4 T. 3 N.R. 7 N.

T. No 3. N.R. N. of W. 2nd Mer. Ind.

- 10.19 To an Oak. 6 in. dia. Stands in the bro.
 40.00 Set a 7th sapling from which an
 Oak. 6 in. dia. bears N 76° E. 68 links out; &
 no other tree near.
 51.50 To an Oak. 10 in. dia. Stands in the bro.
 80.00 Intersect the N. Boundary at the foot of of lat. 33 & 34
 T. H. N.R. 7 W.
 Land on this side barren; thinly timbered with
 Oak & Hickory

- Arrive Return Dec 32 & 33. T. 3. N.R. N. of W.
 19.24 To a Walnut 15 in. dia. Stands in the bro.
 20.00 " " Brook 10 links out, corner N.W.
 40.00 Set a 7th sapling from which
 Red Bud 20 in. dia. bears N 33° E. 10 links out; &
 Elm. 9 " " " 49 W 21 " "
 59.90 To a Walnut 18 in. dia. Stands in the bro.
 60.00 " " Brook 20 links out, corner E. W.
 61.50 " " Run. 4 " " " E. W.
 80.00 Set a post for the cor of lat. 28, 29, 32 & 33 from which,
 Wash. 13 in. dia. bears S 41° W. 43 links out; &
 Poplar. 22. " " " N 19° E. 30 " "
 This mile is mostly pt. oak; upland; Timber,
 Ash, Sugar, Beech, Walnut; Low rich bottom
 on Creek; Timber same.

- Each Return Dec 28 & 33. T. 3. N.R. 7 W.
 3.00 To a Run. 3 links out, corner E. W.
 40.00 Set the 7th sapling at ar. out from which an
 Oak. 25 in. dia. bears N 39° W. 75 links out; &
 Poplar. 21 " " " N 69° E. 91 " "
 50.00 To a Brook 20 links out, corner E. W.
 58.00 " " Run " " " " N.W.

T. N. 3. N.R. N. of West 2nd Mer. Iowa

81.00 Intreat the NRS line at the post cor of sub 27.28
33 & 34 This mile is land 1st rate land; Timber same

North Return Sub 28 & 29 T. 3 N.R. 7 W.

+ 40.00 Set a 7th post from which an
Oak. 22 in. dia. trunk. N46 W 41 links north; 1st
No. 13 " " S58 E. 5 " "
This 1/2 mile is 1st rate land; Timber ash, Sugar,
Beech, Walnut &c.

80.00 Set a post for the cor of sub 20. 21. 28 & 29 from which,
Oak. 15 in. dia. trunk. N24 E. 85 links north; 1st
No. 17 " " S5 W. 57 " "
Land last 1/2 mile 2nd rate land; Timber, timbered
with Oak & Hickory;

East Return Sub 21 & 28. T. 3 N.R. 7 W.

25.61
39.88 Set the 7th post at an old from which
Oak. 12 in. dia. trunk. N40 E. 67 links north; 1st
Oak. 9 " " N44 W 41 " "

55.00 To a Run. 4 links north, Corner N.W.

60.00 " No. 3 " " N.W.

79.76 Intreat the NRS line at the post cor of sub 21. 22, 27.28
This mile land 2nd rate interval; Timber Elm, ash, Spruce.

North Return Sub 20 & 21 T. 3 N.R. 7 W.

9.00 To a Run. 6 links north, Corner N.W.

34.59 " 13 Oak. 8 in dia. in the line.

40.00 Set a 7th post from which an
Oak. 10 " " N24 W 53.
Oak 20 in. dia. trunk S 21 W. 101 links north; 1st
No other tree near. This mile to 59. ch. is 2nd
rate land. Timbered with Oak & Hickory.

59.00 Prairie some Oak & Hickory; Soil good.

60.57 To an Oak 18 in dia. stand in the line.

T. No. 3. N.R. No. 7. M. 2nd (M. Ind.)

80.00 Set a post for the cor of sec. 16. 17. 20 & 21 from which an.
Oak. 20 in. diam. bears N 31 W. 30 links each; & 7
do. 12 " " " S 22 E. 54 " "
Same 2nd rate; thinly timbered with Oak & Hick.

Cash Return Sec. 16 & 21. T. 3. N.R. 7 W.

40.00 Set a 7th post at av. dist from which,
Oak. 8 in. diam. bears N 40 W. 34 links each; &
do. 12 " " " S 36 E. 20 " "

41.50 To a marsh, flooded with water.

60.00 Out of marsh; timber as before.

80.00 Intersect the N & S line at the post cor of sec. 15. 16. 21.
& 22, Uplands 2nd rate; timber Oak Hick & Ash.

North Return Sec. 16 & 17. T. 3. N.R. 7 W.

40.00 Set a 7th post from which an.
Oak. 10 in. diam. bears N 63 E. 190 links each; & 5
no more trees near.

80.00 Set a post for the cor of sec. 8. 9. 16 & 17 from which an.
Oak. 9 in. diam. bears N 48 E. 50 links each; & 5

do. 10 " " " S 30 W. 53 " "

This mile is prairie; thinly timbered with Oak, & Hickory
Sandy good.

Cash Return Sec. 9. & 16. T. 3. N.R. 7 W.

39.95 Set the 7th post at av. dist from which,
Gum. 20 in. diam. bears S 53 W. 27 links each; & 3
Oak. 9 " " " N 50 E. 51 " "

This 7th mile open prairie; good

79.90 Intersect the N & S line at the post cor of sec. 9. 10. 15 &
16. Same last 7th mile with prairie; some timber &
plenty of grass.

T. N. 3. N.R. N. of W. 2nd Sec. Ind.

473

- North Return Sec. 8 & 9 T. 3 N.R. 7 W.
 35.00 To a Bayou 70 miles near, Corner W.
 40.00 Set a 7th support in water; no bearing trees.
 This 2 mile prairie; thinly timbered with Oak, &
 Hickory; Soil middling
 42.00 To a Brook. 100 miles near, Corner S 70 W
 80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which an
 Oak 15 in. diam. bears S 31 W. 72 the oak; & 5
 No. 16 " " S 72 E. 54 " "
 Last half mile; 2nd rate bottom land. Timber
 Oak, Elm, & Maple. &c.

- East Return Sec. 4 & 9 T. 3 N.R. 7 W.
 Cross 2nd rate upland; Timber Oak & Hickory.
 15.00 To open prairie; land good; much Grass.
 40.00 Set a 7th support; No bearing trees.
 80.00 Intersect the N & S line at a post cor. of sec. 3, 4, 9 & 10

- North Return Sec. 4 & 5. T. 3 N.R. 7 W.
 Cross 2nd rate interval; Timber Oak, Elm & Maple.
 10.00 Prairie thinly timbered with R. Jack, Oak, Elm,
 some white oak.
 40.00 Set a 7th support; No bearing trees.
 78.34 Intersect the N Boundary at the post cor. of sec.
 32 & 33. T. 4 N.R. 7 W.

- North Return Sec. 31 & 32 T. 3 N.R. 7 W.
 21.22 A 7th Oak 12 in. diam. stands in the line.
 40.00 Set a 7th support from which
 Poplar 15 in. diam. bears S 19 E. 31 miles oak; & 15
 No. 12 " " " N 40 W 18 " "
 48.00 To a Brook. 30 miles near, Corner N 70 W
 37.96 " " Poplar 19 in. diam. stands in the line

T. No 3. N.R. No 7/M. 2nd Mm. Ind.

80.00 Set a post for the cor of ew. 29.30.31 & 32 from which an Oak. 20 in. diam. bears N50 W. 84 links north; & 5
 Loc. 10 " " " S43 E 71 " "
 This mile mostly 2nd rate upland; Timber Oak, Hickory,
 Poplar, Gum, & some rich bottom on the creek.

Each Return Sat. 29 & 32 T. 3. N.R. 7 W.
 29.63 To an Oak. 20 in. diam. stands in the line
 40.15 Set the 7th post at av. dist from which an
 Oak. 22 in. diam. bears N59 W. 53 links north; & 3
 Loc. 20 " " " S54 E. 104 " "
 80.30 Intersect the N & S line at the post cor of ew. 28, 29, 32,
 & 33. This mile is mostly 2nd rate upland. Mostly
 rolling; Timber Oak, Hickory, Some 1st rate inter-
 val; Timber ash, Elm, & 1st & 2nd Walnut.

West Return Sat. 30 & 31 T. 3. N.R. 7 W.
 Lands 2nd rate upland; Timber Oak, Hickory.
 30.00 To 1st rate bottom land; Timber ash, & Elm.
 40.00 Set a 7th post from which an
 Elm. 10 in. diam. bears S35 E. 25 links north; & 3
 W. ash. 8 " " " N73 W. 15 " "
 55.50 To Bayou
 71.54 Intersect the West Boundary 428 links South of the post
 cor of ew. 25 & 36. T. 3. N.R. 8 W. and set a post for the
 cor of ew. 30 & 31 from which an
 Elm. 15 in. diam. bears N59 E. 30 links north; & 3
 Loc. 20 " " " S77 E. 29 " "

North Return Sat. 29 & 30 T. 3. N.R. 7 W.
 19.23 To a Jack. 8 in. diam. stands in the line.
 40.00 Set a 7th post from which an
 Jack. 6 in. diam. bears N42 E. 16 links north; & 3

475

D. N^o 3. N.R. N^o 7 W. 2nd Mer. Ind.

62.50	Hickory 9 in. diam. 85 W. 54 links each;
80.00	To a B. Jack 8 in. diam. Stands on the line Set a post for the cor. of sec. 19 20 29 & 30 from which, Cum. 14 in. diam. trees. 165 W. 224 links each; & W. Oak. 9, 9, 9. S. 20 E. 200 "
	This mile is 2 nd rate upland; Thinly timbered with Oak, Hickory & B. Jack: Slight sandy soil.
East	Between Sec. 20 & 29 T. 3. N.R. 7 W. Over 2 nd rate land; Gently rolling; Thinly timbered with Oak & Hickory.
25.00	To prairie; no timber.
40.00	Set a post; no bearing.
50.00	To 2 nd rate upland; Timber Oak, & Hickory.
80.00	Set out the N. 3 line at a post cor. of sec. 20. 21. 28 & 29. T. 3. N.R. 7 W.
West	Between Sec. 19 & 30 T. 3. N.R. 7 W. Land low; Timber Oak, & Hickory, Soil good.
21.42	To Gum. 10 in. diam. stands on the line.
25.00	To 1 st rate bottom land. Timber Elm, & Walnut.
36.60.	To Bayou or Bayou, 100 links more, Cum. S 70 W To Backwater from White River; I was obliged to leave the line.
North	Between Sec. 19 & 20 T. 3. N.R. 7 W.
17.67	To a Hickory 9 in. diam. Stands on the line.
40.00.	Set a post from which a Oak. 14 in. diam. trees. 118 W. 93 links each; & no more trees near.
52.40	To an Oak. 13 in. diam. Stands on the line.
80.00	Set a post for the cor. of sec. 17. 18. 19 & 20 from which an Oak. 18 in. diam. trees. S 89 E. 3. 10 links each;

T. Sp. 3 N.R. No. 1/22nd (Mr. And.)

No more trees near. This mile is 2nd rate land.
 Timber Oak & Hickory.

East Return Sep. 17 & 20 T. 3 N.R. 7/77.
 Over prairie; land; some Oak, & Hickory; few good
 some Indian improvements;
 40.00 Set the 7th post at an. dist from which an.
 Oak 9 in. diam. bears. N 25 E. 77 links dist; & 5
 Do. 8 " " " E 57 N. 34 " "
 43.00 Sandy barrens no timber.
 80.00 Intersect the N. & S. line at a post cor of sec. 16, 17, 20 & 21

West Return Sep. 18 & 19 T. 3 N.R. 7/77.
 Over sandy prairie little timber Soil good.
 8.00 To Indian Cornfields.
 20.00 To a Brook. 70 links near, Course South,
 Back water from White River; obliged to leave the
 line.

North Return Sep. 17 & 18 T. 3 N.R. 7/77.
 40.00 Set a 7th post; no bearing near.
 80.00 Set a post for the cor of sec. 7, 8, 17 & 18.
 This mile is open prairie Soil good; (Much grass.)

East Return Sep. 8 & 17. T. 3 N.R. 7/77.
 99.93 Set the 9th post at an. dist from which;
 Oak. 16 in diam. bears. N 45 N. 68 links dist; & 30
 other trees near.
 79.86 Intersect the N & S line at a post cor of sec. 8, 9, 16 & 17.
 This mile is level prairie; little Timber Grass in
 abundance

West Return Sep 7 & 18 T. 3 N.R. 7/77.

T. N. 3. N.R. N. of W. 2nd Mer. Sud.

	Over prairie; little timber sold good.
8.00	1st rate bottom land. Timber Elm, Ash, &c.
12.50	To a Brook, 70 links wide, corner S.W. obliged to leave the line for back water.
North	Between Sec. 7 & 8 T. 3. N.R. 7 W
	Over open prairie, land good.
10.00	1st rate bottom land. Timber Ash, Elm, &c.
23.80	To a Brook 100 links wide, corner S.W. Left the line on account of water.
East	Between Sec. 5 & 8 T. 3. N.R. 7 W
	Over swampy land covered with water. Timber Elm, & Maple
37.00	Open prairie
40.00	Set a 1/4 section post at an ash from which Gum 98 in dia: trunk. West 233 links ash, &c.
42.33.	No other tree near. To a Gum 18 in diam.
65.00	2nd rate bottom land; Timber Ash, Elm, & Maple
80.00	Intersect the N.W.S. line at the post cor off sec. 4. 5, 8 & 9.
West	Between Sec. 6 & 7 T. 3. N.R. 7 W
	Line not run.
North	Between Sec. 5 & 6. T. 3. N.R. 7 W
	Not surveyed on account of high water Feb. 23. 1805.

78
438

I certify that the foregoing Transcript of the field
notes of Township No. 3 North of Range No. 7 West
2nd Mer. Indiana has been compared with the Original
notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, June 4, 1861

E. S. Haines
Sur. Genl.